

## TOTAL FIRE PROTECTION COMPANY

## **CORPORATE OFFICE:**

A-5, JAYMANGAL HOUSE, OPP. GANDHIGRAM RLY. STATION, AHMEDABAD- 380 009 (INDIA)

PHONE: - 26584080, TELEFAX: 079 -26587009

CIN - L31100GJ1991PLC016557 Date: 02/11/2018

To, Gen. Manager (DCS) BSE Limited. P J Towers, Dalal Street, Fort, Mumbai-400001

Dear Sir,

REF: COMPLIANCE OF REGULATION 30 OF SEBI (LISTING OBLIGATIONS AND DISCLOSURES REQUIREMENTS) REGULATIONS, 2015 FOR M/S. REDEX PROTECH LIMITED. (COMPANY CODE BSE: 523650)

SUB: OUTCOME OF MEETING OF BOARD OF DIRECTORS HELD ON 02ND NOVEMBER, 2018

With regard to captioned subject, we would like to inform you that Board meeting of the Company was held today on  $02^{nd}$  November, 2018 at the Registered Office of the Company wherein following business were transacted:

1. Approval of unaudited Financial Results along with Statement of Assets & Liabilities andLimited Review Report issued by the Statutory Auditor of the Company for the quarter and half year ended on 30<sup>th</sup> September, 2018.

The meeting was commenced at 11:00 and concluded at 11:30.

You are requested to take the same on record.

Thanking you.

Yours sincerely,

FOR, REDEX PROTECH LIMITED

MR. GNANESH BAHGAT MANAGING DIRECTOR (DIN: 00115076)